

NEW

PURCHASE THE WORKSHOP EQUIPMENT COMBINATION, **C45PRO**

46-cm-DEEP WORKTOP WORKSHOP EQUIPMENT COMBINATION **C45PRO**

C45PRO X/196UT

305 kg

045001987

Workshop equipment combination **C45PRO** comprising the following:

- Stainless steel coated MDF worktop, dimensions 2,040x**463** mm (C45PX/3-2.0MT)
- Fixed module with 7 drawers (C45PRO M7)
- Mobile roller cab with 7 drawers (C45PRO C7)
- Fixed service module (C45PRO MS)
- 3 perforated tool panels (C45PRO PF)
- 3 wall-mounted cabinets (C45PRO PM)
- 3 wall brackets, wide type (C45PRO SL)
- 1 wall bracket, narrow type (C45PRO SS)
- Two-door cabinet (C45PRO AS2)

2000 mm
463 mm
2955 mm



ASSORTMENT OF **196** TOOLS




36

MMC45-V1 BW



137

MMC45-V2N BW



BETA'S NEW RATCHET

100%
MADE
BY
Beta

14"
12"



23

MMC45-V3 BW

**PROMO**

COMPLETE WITH ASSORTMENT THAT BEST CATERS TO YOUR NEEDS!

NEW

61.5-cm-DEEP WORKTOP WORKSHOP EQUIPMENT COMBINATION C45PRO 2.0

C45PRO 2.0 X/268UT

334 kg

045009158

- **Stainless steel coated MDF** worktop, dimensions 2,040x**615** mm (C45PRO 2.0 PXE/3-2.0MT)

C45PRO 2.0 W/268UT


318 kg

045009159

- **Multi-ply wood** worktop, dimensions 2,040x**615** mm (C45PRO 2.0 PWE/3-2.0MT)

Workshop equipment combination C45PRO 2.0 comprising the following:

- Fixed module with 7 drawers (C45PRO 2.0 M7)
- Mobile roller cab with 7 drawers (C45PRO 2.0 C7)
- Fixed service module (C45PRO 2.0 MS)
- 3 perforated tool panels (C45PRO 2.0 PF)
- 3 wall-mounted cabinets (C45PRO 2.0 PM)
- 3 wall brackets, wide type (C45PRO 2.0 SL)
- 1 wall bracket, narrow type (C45PRO 2.0 SS)
- Two-door cabinet (C45PRO 2.0 AS2)



ASSORTMENT OF 268 TOOLS



MM-1 BW



MM-2 BW



MM-3 BW



MM-4/N BW



MM-5 BW



BETA'S NEW RATCHET



PROMO

NEW

PURCHASE THE WORKSHOP EQUIPMENT COMBINATION, **C45PRO 2.0**

61.5-cm-DEEP WORKTOP

C45PRO 2.0 B7X/196UT

 **211 kg**
 **045009155**

- Stainless steel coated MDF worktop, dimensions 1,360x**615** mm (C45PRO 2.0 PXE/2-1.3MT)


C45PRO 2.0 B7W/196UT

 **201 kg**
 **045009156**

- Multi-ply wood worktop, dimensions 1,360x**615** mm (C45PRO 2.0 PWE/2-1.3MT)

Workshop equipment combination C45PRO 2.0 comprising the following:

- Fixed module with 7 drawers (C45PRO 2.0 M7)
- Fixed two-door module (C45PRO 2.0 MA)
- 2 wall-mounted cabinets (C45PRO 2.0 PM)
- 2 perforated tool panels (C45PRO 2.0 PF)
- 2 wall brackets, wide type (C45PRO 2.0 SL)
- 1 wall bracket, narrow type (C45PRO 2.0 SS)
- Single-door cabinet (C45PRO 2.0 AS1)



2000 mm
615 mm
1960 mm



ASSORTMENT OF **196** TOOLS

**36**

MMC45-V1 BW

**137**

MMC45-V2N BW

**BETA'S NEW RATCHET**
14"
12"
**23**

MMC45-V3 BW

**PROMO**

COMPLETE WITH ASSORTMENT THAT BEST CATERS TO YOUR NEEDS!

NEW

61.5-cm-DEEP WORKTOP

C45PRO 2.0 AX/157UT

 **234,5 kg**
 **045009167**

- Stainless steel coated MDF worktop, dimensions 2,040x**615** mm (C45PRO 2.0 PXE/3-2.0MT)


C45PRO 2.0 AW/157UT

 **219 kg**
 **045009168**

- Multi-ply wood worktop, dimensions 2,040x**615** mm (C45PRO 2.0 PWE/3-2.0MT)

Workshop equipment combination C45PRO 2.0 comprising the following:

- Fixed service module (C45PRO 2.0 MS)
- Fixed module with 7 drawers (C45PRO 2.0 M7)
- Fixed two-door module (C45PRO 2.0 MA)
- 3 wall-mounted cabinets (C45PRO 2.0 PM)
- 3 perforated tool panels (C45PRO 2.0 PF)
- 2 wall brackets, narrow type (C45PRO 2.0 SS)
- 2 wall brackets, wide type (C45PRO 2.0 SL)



2000 mm
645 mm
2040 mm



ASSORTMENT OF 157 TOOLS


Beta
WORKER

**FIXED
ACCESSORIES
INCLUDED**


BETA'S NEW RATCHET

PROMO

NEW

PURCHASE THE WORKSHOP EQUIPMENT COMBINATION, **RSC50 2.0**

70-cm-DEEP WORKTOP

RSC50 2.0 D/224UT


276 kg **050001090**

- Worktop 1,495x700 mm made from **sheet metal** (RSC50 2.0 NPG/2-1.5MT)

RSC50 2.0 DX/224UT



275 kg **050001080**

- Worktop 1,495x700 mm made from **stainless steel coated MDF** (RSC50 2.0 PX/2-1.5MT)

RSC50 2.0 DW/224UT


263 kg **050001081**

- Worktop 1,495x700 mm made from **multi-ply wood** (RSC50 2.0 PW/2-1.5MT)



Workshop equipment combination RSC50 2.0 comprising the following:

- 1 fixed module with 7 drawers (RSC50 2.0 M7)
- 1 fixed two-door module (RSC50 2.0 MA)
- 2 wall-mounted cabinets (RSC50 2.0 PM)
- 2 upper perforated tool panels (RSC50 2.0 PFS)
- 2 lower perforated tool panels (RSC50 2.0 PFI)
- 2 pairs of right/left uprights (RSC50 2.0 P/2MDX-SX)
- 1 single-door cabinet (RSC50 2.0 A1)



ASSORTMENT OF **224** TOOLS




M391



M392



M394MH



M397MH

**PROMO**

COMPLETE WITH ASSORTMENT THAT BEST CATERERS TO YOUR NEEDS!

NEW

70-cm-DEEP WORKTOP

RSC50 2.0 F/411UT

 411 kg  050001095

- Worktop 2,240x700 mm made from sheet metal (RSC50 2.0 NPG/3-2.2MT)

RSC50 2.0 FX/411UT

 405 kg  050001097

- Worktop 2,240x700 mm made from stainless steel coated MDF (RSC50 2.0 PX/3-2.2MT)

RSC50 2.0 FW/411UT

 386 kg  050001098

- Worktop 2,240x700 mm made from multi-ply wood (RSC50 2.0 PW/3-2.2MT)



2000 mm
760 mm
3155 mm

Workshop equipment combination RSC50 2.0 comprising the following:

- 1 fixed module with 7 drawers (RSC50 2.0 M7)
- 1 mobile roller cab with 7 drawers (RSC50 2.0 C7)
- 1 fixed service module with 2 drawers (RSC50 2.0 MS-2C)
- 3 wall-mounted cabinets (RSC50 2.0 PM)
- 3 upper perforated tool panels (RSC50 2.0 PFS)
- 3 lower perforated tool panels (RSC50 2.0 PFI)
- 3 pairs of right/left uprights (RSC50 2.0 P/2MDX-SX)
- 1 two-door cabinet (RSC50 2.0 A2)



ASSORTMENT OF 411 TOOLS

Beta



M25



M105MH

14" 3/8" 1/2"



M169



M245MH



M238



M320

IMPACT DRILL 20V
1972/K20V-13BMC

PROMO

RSC RANGE


THE EVOLUTION OF PERFECTION



RSC24

Mobile Roller cab, empty

- ABS reinforced worktop
- Multi-purpose top with anti-fall edges and eight holes for accommodating screwdrivers
- 4 castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Built-in bottle holder (can be applied on both sides).
- Drawer bases protected by foamed rubber mats
- **Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays**




	kg	Ral 2011 Ral 7016	Ral 3000 Ral 7016	Ral 7016	Ral 2011	Ral 9006 Ral 7016	Ral 5015 Ral 7016	Ral 9005
RSC24/7	63	024004071	024004073	024004077	024004070	024004072	024004076	024004079
RSC24/5	60	024004051	024004053	024004057				
RSC24/6	62	024004061	024004063	024004067				
RSC24/8	66	024004081	024004083	024004087				

RSC24/7		
n°		Max
5	70 mm	25 kg
1	140 mm	30 kg
1	210 mm	30 kg

RSC24/5		
n°		Max
2	70 mm	25 kg
2	140 mm	30 kg
1	280 mm	35 kg

RSC24/6		
n°		Max
4	70 mm	25 kg
1	140 mm	30 kg
1	280 mm	35 kg

RSC24/8		
n°		Max
6	70 mm	25 kg
2	140 mm	30 kg



2400 RSC24/KA4

024004884

Kit of accessories for mobile roller cabs RSC24, RSC24A and RSC51

Composed by:

- Perforated tool panel **2400 RSC24/PF**
- Folding shelf **2400 RSC24/MP**
- Document holder **2400 RSC24/PD-A**
- Paper roll holder **2400 RSC24/PC-A**



2400 RSC24/PF



2400 RSC24/MP



2400 RSC24/PD-A



2400 RSC24/PC-A

NEW

PURCHASE THE ASSORTMENT THAT BEST CATERES TO YOUR NEEDS

THE ROLLER CAB RSC24 IS INCLUDED IN THE PRICE!



2400 RSC24/7-VAS

Assortment of 223 tools for AUTOMOTIVE Maintenance $\frac{1}{4}$ " $\frac{1}{2}$ "

Medium version



M301



M304



M306MH



M311MH



INCLUDED:
Mobile roller cab RSC24/7



2400
RSC24/7-VAS/FO
024004048

NEW

2400
RSC24/7-VAS/A
024004043

2400 RSC24/8-VAL

Assortment of 445 tools for AUTOMOTIVE Maintenance $\frac{1}{4}$ " $\frac{3}{8}$ " $\frac{1}{2}$ "

Extra large version



M25



M304



M118




REVERSIBLE
IMPACT WRENCH
1927P



M105MH



M158MH



M195MH



M266

**THE MOST COMPLETE
BETA ASSORTMENT EVER**



INCLUDED:
Mobile roller cab RSC24/8



2400
RSC24/8-VAL/O
024004007

NEW


2400
RSC24/8-VAL/A
024004026

RSC24AXLP/7

 105 kg

Mobile roller cab with 7 drawers, with wood worktop and ANTI-TILT SYSTEM, long model, empty

- Long model with 7 fully removable drawers (882x367 mm), with ball bearing slides
- Multi-ply wood worktop with holes for a vice 1599F/100 or 1599GI/100 (to be ordered separately)
- Sturdy nylon front, with built-in label holder
- Drawer bases protected by foamed rubber mats
- 4 castors, Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Built-in side bottle holder (can be applied on both sides)
- Built-in paper roll holder
- **Each drawer can accommodate up to 6 EVA foam or ABS thermoformed trays**



n°		Max
5	70 mm	30 kg
1	140 mm	35 kg
1	210 mm	35 kg



Ral 2011	Ral 3000	Ral 7016
Ral 7016	Ral 7016	Ral 7016
024004571	024004573	024004577




RSC24L-CAB

 82 kg

Mobile roller cab with 7 drawers and TOOL CABINET

- 7 drawers (588x367 mm) with ball bearing slides:
 - 5 drawers, 70 mm high
 - 1 drawer, 140 mm high
 - 1 drawer, 210 mm high
- Drawer bases protected by foamed rubber mats
- 4 castors, Ø 125 mm: 2 fixed and 2 steering with brakes
- Front centralized lock
- **Side tool cabinet with lockable door and vertically adjustable interior shelf**
- Multi-ply wood worktop with holes for a vice (1599F/100, to be ordered separately)
- Built-in paper roll holder
- Double rear bottle holder
- Built-in side bottle holder



Ral 2011	Ral 3000	Ral 7016
Ral 7016	Ral 7016	Ral 7016
024004471	024004473	024004477

n°		Max
5	70 mm	25 kg
1	140 mm	30 kg
1	210 mm	30 kg




CONTAINERS




RSC24AXL

**Mobile roller cab,
WITH ANTI-TILT SYSTEM, long model**

- New ABS reinforced worktop with anti-fall edges, eight holes for accommodating screwdrivers and 6 tote trays
- **Sturdy nylon front, with built-in label holder**
- Drawer bases protected by foamed rubber mats
- 4 castors, Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Built-in side bottle holder (can be applied on both sides)
- **Each drawer can accommodate up to 6 EVA foam or ABS thermoformed trays**




	Ral 2011 Ral 7016	Ral 3000 Ral 7016	Ral 7016	n°	Max	kg
RSC24AXL/7	024004271	024004273	024004277	5	70 mm	30 kg
				1	140 mm	35 kg
				1	210 mm	35 kg
RSC24AXL/8	024004281	024004283	024004287	6	70 mm	30 kg
				2	140 mm	35 kg
RSC24AXL/9	024004291	024004293	024004297	8	70 mm	30 kg
				1	140 mm	35 kg



RSC24AXXL


131 kg
**Mobile roller cab with 8 drawers
and anti-tilt system, long model**

- 1 fully removable drawer (1,176x367 mm), with ball bearing slides
- 7 fully removable drawers (882x367 mm), with ball bearing slides:
6 drawers 70 mm high
1 drawer 140 mm high
- **Worktop made from stainless steel coated MDF,** with holes for vice item 1599F/125 or 1599GI/125 (to be ordered separately) and 6 tote trays
- Sturdy nylon fronts, with built-in label holders
- Drawer bases protected by foamed rubber mats
- Removable side compartment, with ball bearing slides, with shelf and lock
- 4 castors, Ø 150 mm: 2 fixed and 2 steering with brakes
- 3 safety locks
- Built-in paper roll holder
- Built-in bottle holder
- Following trays can be added: **up to 8 EVA foam or ABS thermoformed trays in drawer 1,176x367 mm**
up to 6 EVA foam or ABS thermoformed trays in drawer 882x367 mm

**YOUR WORKSHOP
ON WHEELS**


Ral 2011 Ral 7016	Ral 3000 Ral 7016	Ral 7016
024004781	024004783	024004787

n°	Max
1	70 mm (1.176x367 mm) 40 kg
6	70 mm (882x367 mm) 30 kg
1	140 mm (882x367 mm) 35 kg



RSC28**SuperTank trolley with wood worktop and 10 drawers**

- 10 drawers (588x367 mm) with ball bearing slides
- Quick, safe system for opening and closing drawers, with nylon and fibreglass front
- Drawer bases protected by foamed rubber mats
- 4 high-capacity castors, Ø 150 mm: 2 fixed and 2 steering with brakes
- 2 centralized safety locks
- Multi-ply wood worktop with holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- 4 bottle holders (2 front and 2 rear)
- 6 side tote trays
- Side compartment with foldaway door with lock
- 135-mm-high storage compartment with plastic-covered base



Ral 2011	Ral 3000	Ral 7016
Ral 7016	Ral 7016	Ral 7016
028003001	028003003	028003007



n°		Max
8	70 mm	25 kg
2	210 mm	30 kg

**5 side drawers:**

- 4 drawers, 70 mm high
- 1 drawer, 210 mm high

5 front drawers:


- 4 drawers, 70 mm high
- 1 drawer, 210 mm high

RSC51**38 kg****Service tool trolley with 3 drawers**

- ABS reinforced worktop with anti-fall edges and 8 holes for accommodating screwdrivers
- 3 drawers (588x367 mm) with ball bearing slides, 70 mm high
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays
- Front centralized safety lock
- Convenient side screwdriver holder included
- 4 castors, Ø 125 mm: 2 fixed castors and 2 swivel castors (one with brake)



n°		Max
3	70 mm	15 kg



Ral 2011	Ral 3000	Ral 7016
Ral 7016	Ral 7016	Ral 7016
051000300	051000303	051000307

C27S**20 kg****Folding tool trolley for outdoor jobs, made from sheet metal**

- 2 drawers, 588x277 mm, with ball bearing slides, for two-way opening
- Large lower object compartment, 588x277x220 mm
- 2 fixed castors, Ø 160 mm, and 2 steering castors with brake, Ø 100 mm
- Thermoplastic worktop with 6 built-in tool trays
- Centralized lock
- Can accommodate drawer partitions and MC foam tool trays



n°		Max
2	70 mm	20 kg



Ral 2011	Ral 3000	Ral 7016
027000201	027000203	027000202

**PATENTED**

ASSORTMENT**5988VU/M**

30 kg


059880356

Assortment of 214 tools in soft foam tray

14" 12"

Recommended with: RSC24 - RSC24A - RSC24AXL - RSC24AXLP/7 - RSC24AXXL - C37 - C39 - C39SM - C39MD - RSC28 - C59 - C58BC - RSC55 - RSC50 2.0

Quantity/Description	Beta N.	TR
22 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32-36 mm	42	M01
11 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm	55	M30
11 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm	90	M30
9 ball head offset hexagon key wrenches	96BPC/SC9	M30
1 1.5-2-2.5-3-4-5-6-8-10 mm		
6 screwdriver for slotted head screws 2.5x50-3x75-4x100-5.5x125-6.5x150-8x200 mm	1201E	M213
1 screwdriver for slotted head screws, extra-short series 4x30 mm	1201EN	M213
4 screwdriver for cross head Phillips® screws	1202E	M213
1 PH0x60-PH1x80-PH2x100-PH3x150 mm		
1 screwdriver for cross head Phillips® screws, extra-short series	1202EN	M213
1 PH1x30 mm		
12 screwdrivers for Torx® head screws, with handles	1207E/TX	M213
1 T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45		
1 mains testing screwdriver	1253	M213
3 drift punches 2-3-4 mm	30	M230
6 pin punches 2-3-4-5-6-8 mm	31	M230
1 centre punch Ø 4 mm	32	M230
1 flat chisels 150 mm	34	M230
2 flat chisels, ribbed type 200-250 mm	35	M230
1 cape chisels, standard type 125 mm	36	M230
1 engineer's hammer 500 g	1370	M230
1 soft face hammer Ø 35 mm	1390	M230
1 measuring tape 3 m	1692	M230
1 telescopic magnet with flexible head	1712TF	M230
5x files 200 mm	1719BMA...Q/T/P/M/R	M230
1 steel wire brush	1737NX	M230
1 snap - off blade utility knife 18 mm	1771	M230
1 circlip pliers straight, internal Ø 180 mm	1032	M129
1 circlip pliers bent, internal Ø 170 mm	1034	M129
1 circlip pliers straight, external Ø 175 mm	1036	M129
1 circlip pliers bent, external Ø 175 mm	1038	M129
1 slip joint pliers 250 mm	1048N	M129
1 self - locking pliers 240 mm	1052	M129
1 diagonal cutting nippers 160 mm	1082BM	M129
1 construction worker's pincers 220 mm	1098	M129
1 compound leverage shears, straight blades 250 mm	1122	M129
1 electrician's scissors, straight blades	1128BMX	M129
1 combination pliers 180 mm	1150BM	M129
1 extra-long needle nose pliers 160 mm	1166BM	M129
1 extra-long bent needle nose pliers 160 mm	1168BM	M129
3 sockets holder	895/11/3/6	M100MH
13 1/4" hexagon sockets Ø 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm	900	M100MH
9 hexagon hand sockets, long series Ø 5-6-7-8-9-10-11-12-13 mm	900L	M100MH
5 1/4" socket drivers for hexagon screws Ø 3-4-5-6-7 mm	900ME	M100MH

**M01****M30****M213****M230****M129****M100MH**

- 4 1/4" socket drivers for slotted head screws
 1 0.8x4-1x5-5-1.2x6-5-1.2x8 mm
 4 1/4" socket drivers for cross head Phillips® screws
 1 PH1-PH2-PH3-PH4
 7 socket drivers for Torx® head screws
 1 T10-T15-T20-T25-T27-T30-T40
 1 1/4" drive extension bar 50 mm
 1 1/4" drive extension bar 100 mm
 1 1/4" drive extension bar 150 mm
 1 1/4" drive universal joint
 1 1/4" drive spinner handle
 1 1/4" drive swivel T-handle
 1 1/4" reversible ratchet
 21 1/2" square drive hexagon sockets Ø 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
 1 adaptor, 1/2" female and 3/8" male drives 125 mm
 1 1/2" drive universal joint 250 mm
 2 angular extension bar - 1/2" 125 mm - 250 mm
 1 1/2" drive sliding T-handle 305 mm
 1 1/2" drive reversible ratchet
 8 1/2" sockets for Torx® head screws
 1 10-12-14-16-18-20-22-24 mm
 11 hexagon hand sockets Ø 10-12-13-14-15-16-17-18-19-21-22 mm
- 900LP M100MH
 900PH M100MH
 900TX M100MH
 900/20 M100MH
 900/20L M100MH
 900/21 M100MH
 900/25 M100MH
 900BG/31 M100MH
 900/42 M100MH
 900/55 M100MH
 920A M100MH
 920/15 M100MH
 920/25 M100MH
 920AN/125/250 M100MH
 920/42 M100MH
 920/55 M100MH
 920FTX M100MH
 920AL M100MH

5904VU/M

12 kg

059041201

Assortment of 90 tools in soft foam tray

12"

Recommended with: RSC23T - RSC24 - RSC24A - RSC24AXL - RSC24AXLP/7 - RSC24AXXL - RSC24L/7 - RSC24L-CAB - RSC28 - C37 - C39 - C39T - C39SM - C39MD - RSC51 - RSC55 - RSC50 2.0 - C59 - C58BC

Quantity/Description	Beta N.	TR
16 combination wrenches 6÷21 mm	42	M05
8 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm	55	M33
9 offset hexagon key wrenches Ø 1.5-2-2.5-3-4-5-6-8-10 mm	96/SC9	M33
6 drivers for Torx® head screws T8-T10-T15-T20-T25-T30	1227TX	M204MH
3 screwdrivers for slotted head screws 3x75 - 5.5x150 - 6.5x150 mm	1221	M180MH
3 screwdrivers for cross head Phillips® screws	1222	M180MH
1 PH0x60-PH1x80-PH2x100 mm		
8 offset hexagon key wrenches Ø 2-2.5-3-4-5-6-7-8 mm	96T	M50
1 1/2" wobble extension bar 125 mm	920AN/125	M83
1 1/2" wobble extension bar 250 mm	920AN/250	M83
1 1/2" drive universal joint	920/25	M83
1 1/2" drive sliding T-handle	920/42	M83
1 1/2" drive reversible ratchet	920/55	M83
19 1/2" square drive hexagon sockets Ø 10÷24 - 26 - 27 - 30 - 32 mm	920A	M83
1 heavy-duty diagonal cutting nippers 160 mm	1084	M137
1 combination pliers bright chrome-plated 180 mm	1150	M137
1 extra-long needle nose pliers 160 mm	1166	M137
1 slip joint pliers, slip-proof PVC coated handles 250 mm	1048N	M153
1 self - locking pliers 240 mm	1052	M153
2 flat chisels, ribbed type 100 - 200 mm	35	M234
1 engineer's hammer 300 g	1370	M234
1 soft face hammer Ø 35 mm	1390	M234
1 circlip pliers straight, internal Ø 180 mm	1032	M145
1 circlip pliers bent, internal Ø 170 mm	1034	M145
1 circlip pliers straight, external Ø 175 mm	1036	M145
1 circlip pliers bent, external Ø 175 mm	1038	M145

**M05****M33****M204MH M180MH****M50****M83****M137****M153****M234 M145****ONLINE CONFIGURATOR**

Create your own roller cab with your favourite tools and accessories

M01

4,5 kg 024500001



42 6-7-8-9-10-11-12-13-14-15-16-17-18
19-20-21-22-24-27-30-32-36 mm

M25

5,1 kg 024500025



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27 mm
90 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
123Q1/4
123Q3/8
123Q1/2
142 8-9-10-11-12-13-14-15-16-17-18-19 mm

M60MH

1,9 kg 024500072



96T 2-2,5-3-4-5-6-7-8-10 mm
97BTX/SC8 T9-T10-T15-T20-T25-T27-T30-T40 mm
944MH 5-6-7-8-10-13 mm

NEW

M63


3,4 kg 024500063



952 7-8-10-12-13-14-17-19 mm

M100MH

6,7 kg 024500109



895/1 - 895/3 - 895/6
900 4-4,5-5,5-5,6-7-8-9-10-11-12-13-14 mm
900L 5-6-7-8-9-10-11-12-13 mm
900ME 3-4-5-6-7 mm
900LP 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
900PH PH1-PH2-PH3-PH4
900TX T10-T15-T20-T25-T27-T30-T40
900/20 50 mm - 900/20L 100 mm
900/21 150 mm
900/25
900BG/31
900/42

900/55
920A 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
920/15 - 920/25
920AN/125 125 mm
920AN/250 250 mm
920/42
920/55
920FTX 10-12-14-16-18-20-22-24 mm
920AL 10-12-13-14-15-16-17-18-19-21-22 mm

NEW

M105MH

7,7 kg 024500114



900 4-4,5-5,5-5,6-7-8-9-10-11-12-13-14 mm
900L 5-6-7-8-9-10-11-12-13 mm
96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm
895/1 - 895/3 - 895/6
900ME 3-4-5-6-7 mm
900LP 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
900PH PH1-PH2-PH3-PH4
900TX T10-T15-T20-T25-T27-T30-T40
900/16 1/4 - 3/8
900/... 50-100-150 mm
900/25 - 900BG/31 - 900/42
900/55
910A 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
910/15 3/8 - 1/4

910/16 3/8 - 1/2
910/21 125 mm
910/22 250 mm
910/25 - 910/42
910/55
920A 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
920/15 1/2 - 3/8
920/25 125 - 250 mm
920AN
920/42
920/55
956E 16-17,8-20,8 mm

NEW

M120

6,9 kg 024500120



920A 10-11-12-13-14-15-16-17-18-19-20-21-22-24-26-27-30-32 mm
920AN/125 125 mm
920AN/250 250 mm
920/25 - 920/42
920AL 10-12-13-14-15-16-17-18-19-22-24-27-30-32 mm
920FTX 10-12-14-16-18-20-22-24 mm
920/55
920PE 5-5L-6-6L-7-7L-8-8L-10-10L-12-12L-14-14L
920TX T20-T25-T27-T30-T40-T45-T50-T55-T60-T20L-T25L-T27L-T30L-T40L-T45L-T50L

SOFT THERMOFORMED TRAYS**M125**

7,9 kg

024500872



68


3/8" 12"

910AL 8-9-10-11-12-13-14-15-16-17-19-21-22 mm
 920FTX E12-E14-E16-E18-E20-E22-E24
 920PE 5-6-6L-7-8-8L-10-10L-12-12L mm
 920TX T20-T25-T27-T30-T30L-T40-T40L-T45-T50-T50L-T55-T60-T60L
 920XZN 5-6-6L-8-8L-10-10L-12L mm
 920AL 10-12-13-14-15-16-17-18-19-21-22-23-24-27-30-32 mm
 1692/5 5 m

M195MH

3,4 kg

024500196



25



1253 3,5x100 mm
 1221 2,5x50 - 3x75 - 4x100 - 5,5x125 - 6,5x150 - 8x200 mm
 1222 PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
 1222N PH1X30 mm
 1227TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
 1221N 4x30 mm

NEW**M129**

3,4 kg

024500147



13

1032 180 mm	1052 240 mm	1150BM 180 mm
1034 170 mm	1082BM 160 mm	1166BM 160 mm
1036 175 mm	1098 220 mm	1168BM 160 mm
1038 175 mm	1122 250 mm	
1048N 250 mm	1128BMX 147 mm	

NEW**M213**

1,8 kg

024500213



25



1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
 1201EN 4x30 mm
 1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
 1202EN PH1X30 mm
 1207E/TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
 1253 3,5x100 mm

M230

3,2 kg

024500230



25

1719BMA/Q 200 mm	1737NX	35 200-250 mm
1719BMA/T 200 mm	1771 170 mm	36 125 mm
1719BMA/P 200 mm	30 Ø 2-3-4 mm	1370 500 g
1719BMA/M 200 mm	31 Ø 2-3-4-5-6-8 mm	1390 Ø 35 mm
1719BMA/R 200 mm	32 Ø 4 mm 34 150 mm	1692 3 m
		1712TF

M166MH

2,9 kg

024500881



49



861MIX/A31 1048N 250 mm
 1082BM 160 mm
 1150BM 180 mm
 1162BM 160 mm
 1221 3x75 - 4x100 - 5,5x100 - 6,5x150 - 8x150 mm
 1221N 6,5x30 mm
 1222 4,5x80 - 6x100 - 8x150 mm
 1222N 6x30 mm
 1227TX T20-T25-T27-T30

NEW**M320**

5 kg

024500320



146







410MIX/SEL19
 861/C100
 862F/A7

862XP/A16
 1972/K20V-13BMC

**IMPACT DRILL 20V
 1972/K20V-13BMC**



FOR 140 mm DRAWERS

T01 024240001   2,7 kg	T05 024240005   1,5 kg	T06 024240006   2,1 kg	T31 024240031   3 kg 42 6-7-8-10-11-12-13-14-16-17-18-19-21-22-24-27-30 mm 42 6-7-8-10-11-12-13-14-16-17-18-19-21-22-24-27-30 mm 42 22-24-27-30-32 mm 31 Ø 2-3-4-5-6 mm 32 Ø 4 mm 55 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x26-27x29-30x32 mm ○ 96N/SC9 1,5÷10 mm
T45 024240045   1,3 kg 142 8-9-10-11-12-13-14-15-16-17-18-19 mm	T50 024240050   1,3 kg ○ 96T 2-2,5-3-3,5-4-4,5-5-6-7-8-10 mm	T63 024240063   3,8 kg ○ 952 7-8-10-12-13-14-17-19 mm	T68 024240068   590 g ○ 951 2,5-3-4-5-6-8 mm
T80 024240080   4,1 kg ○ 920A 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm ○ 920ME 5-6-8-10-12 mm 920/21 125 mm 920/22 255 mm 920/25 - 920/42 305 mm ⊕ 920/55	T91MH 024240098   560 g ○ 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm ○ 900ME 2,5-3-4-5-6-8 mm 900/20 50 mm 900/21 150 mm 900/25 - 900BG/31 - 900/42 115 mm ⊕ 900/55 NEW	T92 024240092   1,5 kg ○ 910A 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm 910/21 125 mm 910/42 210 mm 910/22 250 mm ⊕ 910/55 910/25	T137 024240137   750 g ≡ 1084BM 160 mm ≡ 1150BM 180 mm ● 1166BM 160 mm
T145 024240145   640 g ○ 1032 180 mm ○ 1034 170 mm ● 1036 175 mm ● 1038 175 mm	T167MH 024240182   1,3 kg ● 1221 3x75-3x100-4x100-4x150-5,5x100-5,5x150-6,5x150-8x150-10x200 mm ● 1221N 4x30 - 6,5x30 mm NEW	T234 024240234   1,3 kg 35 100-200 mm 1370 300 g 1390 Ø 35 mm	T236 024240236   870 g ■ 1719BMA/Q 200 mm ▲ 1719BMA/T 200 mm ■ 1719BMA/P 200 mm ▴ 1719BMA/M 200 mm ● 1719BMA/R 200 mm

WORKBENCHES

MODULAR line

MODULAR WORKBENCHES


**C58BC-W2,1 4CA+SVR LED****169,5 kg**

**Workbench, 2.1 m long, with wood top,
4 drawers and door module**

- Multi-ply wood worktop (2,100x750 mm), 38 mm thick
- 4 drawers (367x588 mm) with ball bearing slides:
2 drawers 70 mm high
2 drawers 140 mm high.
- Drawer bases protected by foamed rubber mats
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays
- Front centralized lock
- 1 door module with lock
- Steel frame with 4 supporting legs
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- 2 lower half-shelves for objects, 1,788x335 mm, 40 mm thick
- Static load capacity: 800 kg, uniformly distributed
- Can be fixed to floor
- Kit with 4 perforated tool panels
- 2 LED lamp tracks IP20



Ral 2011	Ral 7016
Ral 7016	
058000743	058000748

**NEW****C58BC-2,1**

Simple workbench, 2.1 m long

- Lower half-shelf for objects, 1,788x335 mm; thickness: 40 mm
- Steel frame with 4 supporting legs
- Holes for a vice (1599F/150 - 1599GI/150, to be ordered separately)
- Can be fixed to floor

**C58BC-W2,1****70 kg**

058000621



- Worktop (2,100x750 mm) made from **multi-ply wood**, 38 mm thick

C58BC-X2,1**93 kg**

058000626




- Worktop (2,100x750 mm) made from **stainless steel coated MDF**, 38 mm thick

8888/KPS**088880813**

Kit of nonslip PVC tiles

Contents:

- 10 modular nonslip PVC tiles, 500x500x80 mm (art. PCP)
- 10 yellow male jointed chutes (art. SCG/M)
- 10 yellow female jointed chutes (art. SCG/F)

**NEW**


C56BLP

11,4 kg

056000005

Multi-purpose folding workbench

- Worktop (820x630 mm) made from polypropylene, with graduation in millimetres and inches
- Handle for easy transportation
- Lower shelf for objects
- Telescopic aluminium legs (550-820 mm)
- Can be used as a stand
- Non-slip feet

FIXED ACCESSORIES INCLUDED**ONLY 11,4 kg!**

READY FOR USE IN JUST A FEW SECONDS, EASY TO CARRY AND STORE IN SMALL SPACES

**C56PL O**

18,5 kg

056000021

Folding workbench lightweight reliable

- Lightweight, easy to carry.
- Worktop (800x500mm) made of galvanized sheet iron, for use on one side, protected by an anti-oil and anti-petrol rubber cover.
- Handle with rubber cover, for easy transportation
- An additional sturdy, reliable worktop, always within reach

**ONLY 18,5 kg****C51**

21 kg

Trolley

- 3 tops covered in antislip ribbed rubber
- Two fixing options for central worktop
- Four castors Ø 100 mm: 2 fixed and 2 steering (1 with brake)



Ral 2011	Ral 7016	Ral 3000
051000001	051000002	051000003


TROLLEYS AND LIFTING**C48M**

140 kg

048000230

**Electric platform cart, with panels**

- Motorized platform, with 24V - 400W motor with 2x12V 33Ah battery supply and Curtis control card
- Loading floor made from sturdy steel, coated with non-slip rubber, with round tubular panels preventing objects from falling during transport
- The panels can be removed, to cater to individual transportation requirements
- Fitted with 2 pneumatic traction wheels (Ø 260 mm) and 2 swivelling rubber wheels (Ø 150mm), electromagnetic brake and differential gear
- Supplied with an external battery charger, 220V/50Hz - V/A 24/12

**FUNCTIONAL SPECIFICATIONS**

- Carrying capacity: 400 kg
- Driving speed: 4-6 km/h (adjustable)
- Battery life: 4 hours
- Maximum permitted slope with a full load: 6%
- Maximum permitted slope with 100 kg load: 18%

TECHNICAL SPECIFICATIONS

- Overall dimensions: 1280x630x1100h mm
- Useful dimensions of loading platform with panels: 1180x580 mm
- Useful dimensions of loading platform without panels: 1260x620 mm
- Height of loading platform from floor: 320 mm
- Height of battery compartment from floor: 65 mm
- Weight with batteries: 140 kg

SAFETY DEVICES:

- Electronic brake
- Buzzer
- Anti-crushing guard
- Battery charge indicator
- Curtis control cart

C48P

11 kg

048000030

Folding tool trolley

- Loading platform made of reinforced polypropylene (PP), with non-slip coating and TPV inserts for corner protection
- Retractable handle for quick, compact storage
- Four non-marking castors, Ø 125 mm: 2 fixed and 2 steering with brakes
- Maximum capacity: 300 kg.
- Loading platform working width: 705 mm
- Loading platform depth: 480 mm
- Loading platform height: 200 mm



300 kg

3069

69,5 kg

030690000

Manual pallet truck**Features:**

- 2 steering wheels, 200x50 mm, made of PU
- Double front rollers, 80x70 mm, made of PU
- Pallet access entry and exit rollers
- Depth stop notch
- Lowering speed control valve
- Safety overload valve
- 3-position operating lever

Technical data:

- Maximum capacity: 2500 kg
- Overall length: 1550 mm
- Fork length: 1150 mm
- Fork width: 540 mm
- Individual fork width: 160 mm
- Lever height: 1230 mm
- Max. lifting height: 115 mm
- Pallet storage corridor: 800x1200 lengthwise: 1805 mm
- Turning radius: 1347 mm



1150 mm

2500 kg

C41H

21 kg

Two-module tool trolley

- Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight
- 2 detachable modules:
 - 1 upper tool box,
 - 1 module with 2 drawers 95 mm in height,
 - 1 pull-out case made of plastic, 66 mm high,
 - and 1 drawer 295 mm in height
- Oversized castors (160 mm), built into frame for easy transport - for example, on steps
- Side centralized lock for closing drawers of lower module
- Drawers with ball bearing slides and double closing hook
- Telescopic aluminium handle
- Small tool holder built into upper tool box
- Lower drawer with double ball bearing slide

C41H O
RAL 2011C41H W
RAL 9016

- 041000002
- 041000021
- 041000012
- 041000008
- 041000006
- 041000010
- 041000005

C41H Y
RAL 1023C41H R
RAL 3000C41H B
RAL 5002C41H G
RAL 7016C41H N
RAL 9005**Five-section cantilever tool box, made from sheet metal, empty****C20**

4,3 kg 021200001

450x200x210 mm

C20L

5,7 kg 021200002

550x200x210 mm

**CP15L**

2,9 kg 021150202

Tool box, long series, made from plastic, removable tote-tray and tool trays

- 3 tool trays built into cover with adjustable partitions
- 1 interior tote-tray with adjustable partitions

558x277x270 mm

**CP17**

2,1 kg 021170500

Tool box, made of stainless steel and plastic, removable tote-tray

500x200x220 mm

**Tool trunk, made of sheet metal, empty****C22B-O**

13 kg 022000150

720x320x310 mm

C22BM-O

20 kg 022000160

850x360x350 mm

C22BL-O

26 kg 022000170

1010x410x400 mm

TOOL CHESTS, BAGS AND CASES**Organizer tool case, with 15 compartments**

The perfect solution for carrying smallwares, including screws, nuts, washers, rivets and dowels.

Can be put on top, and hooked to, each other

**2080/DS**

760 g 020800210

SMALL 10 removable partitions

375x315x65 mm

2080/DL

970 g 020800211

LARGE 8 removable partitions

440x330x75 mm

2028/VV

4,7 kg 020280010

Tool case, made of polypropylene, empty

- 2 tool panels
- Interior bottom with removable partitions
- Double combination lock



480x190x400 mm

C5

2,8 kg 021050000

Rucksack, empty

- Removable interior tool panel
- Six exterior pockets and two interior pockets
- Waterproof plastic base
- Double safety lace for fixing rucksack to shoulders
- Ergonomic padded back



400x200x500 mm

2080/V12

1,8 kg 020800000

Organizer tool case with 12 removable tote-trays

Removable, folding clear tote-trays, for immediate recognition of contents



300x330x145 mm

2031/TV

5,2 kg 020310200

Tool trolley made from thick polypropylene, aluminium profile, empty

- 3 tool panels
- Telescopic handle
- Ball bearing castors
- Interior bottom with removable partitions



475x235x385 mm

**NEW****C6T**

4,9 kg 021060010

Rucksack with castors, empty

- Telescopic handle for easy transport
- Built-in castors with practical dustproof cover for use as a rucksack
- Two removable tool panels
- Interior PC pocket and five exterior pockets
- Waterproof plastic base



360x200x480 mm

CSM**1,9 kg****021050050****Technical fabric tool rucksack, empty**

- Large front compartment with zip closure, complete with:
 - 4 exterior rows of elastic bands for quick access to tools
 - 6 interior tool pockets, for efficient technical organisation
- Two convenient side pockets with zip closure, badge holder and elastic tool band



370x210x510 mm

Rucksack interior:

- 3 rows of elastic tool bands
- 10 differently sized tool pockets
- Central padded handle on rucksack top for firm, balanced hold
 - Adjustable reinforced shoulder straps
- Ergonomic padded back
 - Plastic-reinforced, water-resistant base

**NEW****CBA****5,9 kg****021080400****Technical fabric tool trolley, empty**

- Semi-rigid frame
- Telescopic carrying handle for easy transportation
- 4 pivoting castors
- Double padded handle for safe, balanced hold
- Convenient semi-rigid front compartment accommodating personal belongings
- Large lower compartment with 5 tool pockets and elastic tool bands
- 33 interior tool pockets
- 6 interior rows of elastic tool bands
- 6 side rows of elastic tool bands, with sturdy metal measuring tape hook
- Plastic interior pocket with zip closure



455x270x480 mm

NEW**C8****5,5 kg****021080000****Technical fabric tool trolley, empty**

- Telescopic carrying handle
- 2 removable interior tool panels
- 2 exterior front pockets
- Can accommodate tool box item C10S



470x280x380 mm

Technical fabric tool box, empty

- Hard frame
- Double bottom
- Tilting handle for easier access to tools
- Elastic tool bands and interior and exterior pockets
- Cover
- Tool tray included in double bottom
- Can be used with trolley C8

**C10S****2,9 kg****021100001**

420x220x250 mm

C10**3,3 kg****021100000**

520x220x250 mm

TOOL CHESTS, BAGS AND CASES**C11**

1,8 kg 021110000

Technical fabric tool box, empty

- Hard water resistant plastic base
- Elastic tool bands and interior and exterior tool pockets
- Document holders built into double bottom of cover

410x230x250 mm

**C3**

917 g 021030000

Mini tool bag, made from technical fabric, empty

- 1 exterior front pocket with zip closure
- 2 side pockets with tote trays
- 1 convenient rear pocket with Velcro closure
- 1 removable interior tool panel, with elastic bands on both sides
- Complete with shoulder strap
- USB interface for charging mobile devices



230x110x320 mm

**A MINI TOOL BAG
TO ALWAYS BRING WITH YOU!**

C7

4 kg 021070000

Technical fabric tool bag, empty

- 2 removable interior tool panels
- 2 exterior front pockets
- Interior bottom made of plastic, with removable partitions



480x165x380 mm

**2005MMT**

500 g 020050070

Tool pouch with belt, empty

- Large front compartment accommodating a convenient roll-up wallet with tool pockets and elastic tool bands
- Two large storage pockets, including one with strap closure
- Interior front pocket with zip closure
- Double pouch closure, with strap and buckle
- Breathable belt with stretch band and two storage pockets



250x160x100 mm

NEW**2001/BZ27 VU****Folding tool case with assortment of 27 tools, for universal use**

3,9 kg 020010157



380x290x60 mm

**27****Quantity/Description**

Quantity/Description	Beta N.
1 electrician's scissors, straight blades	1128BMX
1 combination pliers 180 mm	1150
6 combination wrenches 7-8-10-13-17-19 mm	42
3 screwdriver for slotted head screws	1201E
• 3x75 - 4x100 - 5,5x150 mm	
3 screwdriver for cross head Phillips® screws	1202E
• PH0x60 - PH1x80 - PH2x100 mm	
9 offset hexagon key wrenches	96/SC9
• 1,5-2-2,5-3-4-5-6-8-10 mm	
1 engineer's hammer 300 g	1370
1 slip joint pliers boxed joints 250 mm	1048N
1 measuring tape 5 m	1692/5
1 snap - off blade utility knife 18 mm	1771