

42

BETA'S ICONIC WRENCH

A stylish, slim shape enhanced by a slender profile, lighter to the touch.

The strength, resilience and ergonomic design of the Beta wrench reach even higher values, to provide users with the best possible tool.

The manufacturing process is carried out in our factories in Sovico and Sulmona, on the basis of state-of-the-art automation technology and the best trained workers

**POWERFUL**

Torque values more than doubled compared to the requirements to be satisfied under ISO 1711.

STRENGTH

Remarkable strength: in case of improper use, the wrench buckles, without breaking suddenly and dangerously.

ERGONOMIC

The offset ring has a 15 degree angle to protect the hand. The shape is obtained from a die; it is not bent later.

**42/SP15**

000421078

Set of 15 combination wrenches

- Supplied with a comfortable, practical holder



6-7-8-9-10-11-12-13-
14-15-16-17-19-22-24 mm

42/S26

000421070

Set of 26 combination wrenches

6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21
22-23-24-25-26-27-28-29-30-32 mm

55/B12N

000550164

Set of 12 double open end wrenches
in roll-up wallet made of durable polyester

6x7-8x9-10x11-12x13
14x15-16x17-18x19
20x22-21x23-24x26
25x28-30x32 mm

**141/B9**

001410069

Set of 9 ratcheting combination wrenches, straight series,
in cloth wallet

8-10-11-12-13-14-15-17-19 mm



WRENCHES



NEW SUPPORTS

42/SC8

000421086

Set of 8 combination wrenches
with compact support

8-10-12-13-14-15-17-19 mm



NEW

142SN/SC8

001420258

Set of 8 swivel end ratcheting
combination wrenches,
with compact support

8-10-12-13-14-15-17-19 mm



NEW

142/SC8

001420086

Set of 8 reversible ratcheting
combination wrenches,
with compact support

8-10-12-13-14-15-17-19 mm



NEW


192/52

001920070

Set of 2 reversible ratcheting
offset bi-hex ring wrenches



8 SIZES IN 2 WRENCHES



186 8-32


001860008

Self-locking wrench with automatic
take-up device for hexagons,
8 to 32 mm

Ideal for hexagon, Spline, square and Torx® head
screws, including damaged screws



L 260 mm



SPLINE®
12 sides

Square

Torx®

Hexagonal

Rounded bolt
70%

THE ADJUSTABLE WRENCHES WITH SCALES

111

Beta 111 allow differently sized nuts and bolts to be tightened and loosened through the sliding jaws, which can be adjusted through the central rolls.



- Special heat treatment for excellent **wear resistance**.
- Based on the new ergonomic properties, weight has been **reduced by 20%**

1 Head angled at 15°, allowing hardly accessible spaces to be reached, as is the case with our iconic combination wrenches, "42"

2 Double laser marking in mm/inches

3 Made from high-performance alloy steel for increased mechanical torsional strength

4 Hole on handle for hanging wrench

111E

Adjustable wrenches with scales, **CHROME-PLATED**

- Right-hand rotation of pin



	L mm	L "	A max mm	
111E 150	150	6	24	001110115
111E 200	200	8	29	001110120
111E 250	250	10	34	001110125
111E 300	300	12	40	001110130

111E/D3

Set of 3 adjustable wrenches with scales, **CHROME-PLATED**

001110163



111ER

Adjustable wrenches with scales, **phosphated**

- Reversible jaw for optimal hold
- Double laser marking in mm/inches



A max

RIGHT-HAND ROTATION

	L mm	L "	A max mm	
111ER 200	200	8	29	001110520
111ER 250	250	10	34	001110525
111ER 300	300	12	40	001110530

111CM 220

Wide opening adjustable wrenches, **CHROME-PLATED**, short series

- Right-hand rotation of pin



L mm	L "	A max mm
220	8	38

WRENCHES

96/SC9

Set of 9 offset hexagon key wrenches



000960374

**COMPACT**


Ø mm	L mm
1,5	45
2	50
2,5	57
3	64
4	72
5	83
6	94
8	105
10	119

96BPC/SC9

Set of 9 ball head offset hexagon key wrenches



000960354



Ø mm	L mm
1,5	79
2	84
2,5	89
3	99
4	108
5	126
6	148
8	168
10	187

97BTX/SC8

Set of 8 ball head offset key wrenches, long model, for Torx® head screws



000970164




Ø mm	L mm
T9	62
T10	71
T15	81
T20	92
T25	94
T27	105
T30	114
T40	129

97BTXL/SC8

Set of 8 ball head offset key wrenches, long model, for Torx® head screws



000970364



Ø mm	L mm
T9	80
T10	86
T15	100
T20	110
T25	126
T27	140
T30	160
T40	176

**EXTRA LONG
VERSION +25%****97BRTXL/SC8**

Set of 8 ball head offset key wrenches, long model, for Tamper Resistant Torx® head screws



000970464




Ø mm	L mm
T9	80
T10	86
T15	100
T20	110
T25	126
T27	140
T30	160
T40	176

**EXTRA LONG
VERSION +25%****96LBP/SC9**

Set of 9 ball head offset hexagon key wrenches



000961354



Ø mm	L mm
1,5	90
2	100
2,5	112
3	127
4	144
5	163
6	184
8	204
10	230

**EXTRA LONG
VERSION +30%****96BP-HO/SC9**

Set of 9 ball head offset hexagon key wrenches, with screw holding system



000961254




Ø mm	L mm
1,5	79
2	84
2,5	89
3	99
4	100
5	126
6	148
8	168
10	187

96BPA/SC9

Set of 9 ball head offset hexagon key wrenches, 110°, extra-short side model



000961974



Ø mm	L mm
1,5	71
2	86
2,5	96
3	104
4	116
5	132
6	155
8	176
10	200

**EXTRA
SHORT VERSION**

96T/55P

Set of 5 offset hexagon key wrenches with handles

 000960946

○ 2,5-3-4-5-6 mm

**97TTX/56**

Set of 6 ball head offset key wrenches for Torx® head screws with handles

 000970791

○ T10-T15-T20
T25-T30-T40

**951 THE ORIGINAL ONE**

When this wrench was launched, back in 1980, it was a revolution. Designed to work on high-resistance screws, it is the name for quick handling, accurate fit and flexible use. The hexagon T handle can be adjusted as required. The hexagon ends are designed to transmit the maximum possible torque to the screw. The rod length allows remarkable torques to be effortlessly applied to the screws. Ongoing production improvements have translated, for example, into sandblasted finishes and sharp-edged hexagon ends which allow a better fit onto any screws, including damaged ones. Laser marking results in a sturdier rod.

952 THE RELIABLE ONE

Reliable, precise pre-positioning is the secret for the success of this wrench. The articulated joint maintains its function over the years, no adjustment being required. Socket rotation angle: 50°. Can be used at 90° in fixed position. Sliding T-handle, can be stopped in the required position throughout its length. Triple size marking on head.

951/56

Set of 6 T-handle wrenches with three hexagon male ends

 009510687

○ 2,5-3-4-5-6-8 mm


2,5+6 mm

**952/D7**

Set of 7 T-handle wrenches with swivelling hexagon sockets

 009520079

○ 7-8-10-12
13-14-17 mm

**950/D6**

Set of 6 T-handle hexagon socket wrenches

○ 7-8-10-13-17-19 mm

 009500096
